



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/559,073	04/27/2000	Kazuyuki Murakami	0059-1219-0X	2052

7590

09/04/2002

Oblon Spivak McClelland Maier & Neustadt PC
Fourth Floor
1755 Jefferson Davis Highway
Arlington, VA 22202

EXAMINER

VANOY, TIMOTHY C

ART UNIT	PAPER NUMBER
----------	--------------

1754

DATE MAILED: 09/04/2002

14

Please find below and/or attached an Office communication concerning this application or proceeding.



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

SERIAL NUMBER	FILING DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NO.

EXAMINER	
ART UNIT	PAPER NUMBER
	14

DATE MAILED:

Below is a communication from the EXAMINER in charge of this application

COMMISSIONER OF PATENTS AND TRADEMARKS

ADVISORY ACTION

☒ THE PERIOD FOR RESPONSE:

- a) ☒ is extended to run _____ or continues to run 3 MONTHS from the date of the final rejection
- b) ☐ expires three months from the date of the final rejection or as of the mailing date of this Advisory Action, whichever is later. In no event however, will the statutory period for the response expire later than six months from the date of the final rejection.

Any extension of time must be obtained by filing a petition under 37 CFR 1.136(a), the proposed response and the appropriate fee. The date on which the response, the petition, and the fee have been filed is the date of the response and also the date for the purposes of determining the period of extension and the corresponding amount of the fee. Any extension fee pursuant to 37 CFR 1.17 will be calculated from the date of the originally set shortened statutory period for response or as set forth in b) above.

- ☐ Appellant's Brief is due in accordance with 37 CFR 1.192(a).

☒ Appellant's response to the final rejection, filed DATE-STAMPED AUG. 22, 2002 has been considered with the following effect, but it is not deemed to place the application in condition for allowance:

1. ☐ The proposed amendments to the claim and/or specification will not be entered and the final rejection stands because:
- a. ☐ There is no convincing showing under 37 CFR 1.116(b) why the proposed amendment is necessary and was not earlier presented.
 - b. ☐ They raise new issues that would require further consideration and/or search. (See Note).
 - c. ☐ They raise the issue of new matter. (See Note).
 - d. ☐ They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal.
 - e. ☐ They present additional claims without cancelling a corresponding number of finally rejected claims.

NOTE:

2. ☐ Newly proposed or amended claims _____ would be allowed if submitted in a separately filed amendment cancelling the non-allowable claims.
3. ☒ Upon the filing an appeal, the proposed amendment ☒ will be entered ☐ will not be entered and the status of the claims will be as follows:

Claims allowed: NONE

Claims objected to: NONE

Claims rejected: 17-24, 31-33 AND 38-49

However:
☒ AMENDMENT, IF ENTERED, WOULD
Applicant's response has overcome the following rejection(s): THE "NEW MATTER" OBJECTION TO THE SPECIFICATION.

4. ☒ The affidavit, exhibit or request for reconsideration has been considered but does not overcome the rejection because THE SCOPE OF THE CLAIMS ARE BROAD ENOUGH TO INCLUDE THE "1° ACTIVATION STEP ARGUED TO BE REQUIRED IN JP-446 AND THE "EVAPORATION TYPE FUMING
5. ☐ The affidavit or exhibit will not be considered because applicant has not shown good and sufficient reasons why it was not earlier presented. AGENT ARGUED TO BE REQUIRED IN JP-277.

- ☐ The proposed drawing correction ☐ has ☐ has not been approved by the examiner.
- ☐ Other

Stanley S. Silverman
Stanley S. Silverman
Supervisory Patent Examiner
Telephone: 1-202-279-1770